

Notice of Allowability

Application No.

09/924,056

Examiner

Charles E Anya

Applicant(s)

SIMPSON ET AL.

Art Unit

2194

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Applicant's remarks filed on 2/1/05.
2. ☒ The allowed claim(s) is/are 2-15; now renumbered as 1-14.
3. ☒ The drawings filed on 08 August 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 4/1/05.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

MENG-AL T. AN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with Mr. William T. Ellis (Reg. No. 26,874) on 4/1/05.

In the claims:

a. Claim 2;

- Line 11, insert after "extension" – API --;
- Line 12, insert after "extension" – API --;

b. Claim 7;

- Line 11, insert before "," -- ; wherein an imaging extension API performs translating and mapping steps and wherein the imaging extension API does not accept a reference from the external web content --;
- Line 12, insert after "calling" – the --;

c. Claim 8;

- Line 1, insert before "API" – imaging extension --;

d. Claim 11;

- Line 12, insert after "by" – an --;
- Line 13, replace "extension and is only recognized by the imaging extension" with – extension API and is only recognized by the imaging extension API, and wherein the imaging extension API does not accept a reference from the external web content --;

e. Claim 12;

- Line 2, replace "receiving at the imaging extension a reference from the web content" with – receiving the request at the imaging extension for a reference from the external web content --;
- Line 3, replace "accessing an imaging extension API to map the reference received from the external" with – accessing the imaging extension API to map the request received from the external --;
- Line 5, replace "extension between the received reference" with – extension API between the received request --;

f. Claim 14;

- Line 14, insert after "wherein" – an --;
- Line 15, insert after "extension" – code --;

g. Claim 15;

- Line 11, insert after "extension" – API --;
- Line 12, insert after "extension" – API --;

3. Pursuant to MPEP 606.01, the title has been changed to read: -- AN IMAGING EXTENSION API FOR ISOLATING WEB CONTENT FROM USER RESOURCES AND SERVICES --.


4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E Anya whose telephone number is (571) 272-3757. The examiner can normally be reached on M-F (8:30-6:00) First Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, An Meng-Ai can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles E Anya
Examiner
Art Unit 2194

cea.



MENG-AL T. AN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100